



Fulbright **Product Catalog** 2025



CONTENT

- Company Profile
- Disposable Powered Articulating Endoscopic Linear Cutter Stapler & Reloads
 - Thorapler
 - 3D Tile-Shaped Staple Reloads
 - Lunar S Pro
 - Lunar U Pro
 - S Series
 - Stepwise Staple Reloads
 - Lunar S
 - Lunar U
 - Hyperforce
 - D Series 2023
 - Curved Tip
 - Flat Deck Reloads
 - FulGrip Reloads
 - Dolphin-Head Staple Reload
- Disposable Endoscopic Linear Cutter Stapler & Reloads
 - DR Series
 - FR Series
 - Flat Deck Reloads
 - FulGrip Reloads
- Disposable Endoscopic Trocar
 - Flagship
 - Mini
- Disposable Endoscopic Specimen Retrieval Bags & Ligating Loops
- Open Staplers
 - Disposable Linear Cutter Stapler & Reloads
 - Disposable Linear Stapler & Reloads
 - Disposable Curved Cutter Stapler & Reloads
 - Disposable Circular Staplers
 - Disposable Hemorrhoidal Staplers

Fulbright Profile

More than
250,000
new patients benefit from
Fulbright staplers
each year!




WE THINK NEXT


Disposable Powered Articulating Endoscopic Linear Cutter Stapler & Reloads




Thorapler



Lunar S & Pro




Lunar U & Pro



Hyperforce



D Series 2023
& S series



Thorapler

45mm



| Model | Shaft Length(mm) | Max Firings | Pcs/Carton |
|--------|------------------|-------------|------------|
| FSMS45 | 280 | 15 | 3 |
| FSMM45 | 340 | 15 | 3 |

Attachment
Reloads Remover



* Reloads remover and curved tip included in the package

30mm



| Model | Shaft Length(mm) | Max Firings | Pcs/Carton |
|--------|------------------|-------------|------------|
| FSMS30 | 280 | 15 | 3 |
| FSMM30 | 340 | 15 | 3 |

Attachment
Reloads Remover




* Reloads remover and curved tip included in the package

| Model | Voltage | Capacity |
|-------|---------|----------|
| DMB | 12V | 1550mAh |

Battery



3D Tile-Shaped Staple Reloads for Thorapler (TS Reloads)



45mm

| Model | Color | Tissue Type | Open Staple Height (mm) | Closed Staple Height (mm) | Pcs/Carton |
|--------|-------|--------------------------------------|-------------------------|---------------------------|------------|
| DMCC45 | Gray | Small blood vessels/Veins | 2.0 | 0.75 | 144 |
| DMCW45 | White | Vascular | 2.5 | 1.0 | 144 |
| DMCB45 | Blue | General lung tissues | 3.5 | 1.5 | 144 |
| DMCY45 | Gold | Segmental bronchi/thick lung tissues | 3.8 | 1.8 | 144 |
| DMCG45 | Green | Lobar bronchus/Thicker lung tissues | 4.1 | 2.0 | 144 |

30mm

| Model | Color | Tissue Type | Open Staple Height (mm) | Closed Staple Height (mm) | Pcs/Carton |
|--------|-------|--------------------------------------|-------------------------|---------------------------|------------|
| DMCC30 | Gray | Small blood vessels/Veins | 2.0 | 0.75 | 144 |
| DMCW30 | White | Vascular | 2.5 | 1.0 | 144 |
| DMCB30 | Blue | General lung tissues | 3.5 | 1.5 | 144 |
| DMCY30 | Gold | Segmental bronchi/thick lung tissues | 3.8 | 1.8 | 144 |
| DMCG30 | Green | Lobar bronchus/Thicker lung tissues | 4.1 | 2.0 | 144 |

Lunar S Pro

60mm



| Model | Shaft Length(mm) | Max Firings | Pcs/Carton |
|--------|------------------|-------------|------------|
| DNAS60 | 280 | 15 | 3 |
| DNAM60 | 340 | 15 | 3 |
| DNAL60 | 440 | 15 | 3 |

Attachment
Reloads Remover

* Reloads remover included in the package, curved tip is optional

45mm



| Model | Shaft Length(mm) | Max Firings | Pcs/Carton |
|--------|------------------|-------------|------------|
| DNAS45 | 280 | 15 | 3 |
| DNAM45 | 340 | 15 | 3 |
| DNAL45 | 440 | 15 | 3 |

Attachment
Reloads Remover

* Reloads remover and curved tip included in the package

| Model | Voltage | Capacity |
|-------|---------|----------|
| DMB | 12V | 1550mAh |

Battery



Lunar U Pro

60mm



| Model | Shaft Length(mm) | Max Firings | Pcs/Carton |
|--------|------------------|-------------|------------|
| DSAS60 | 280 | 15 | 3 |
| DSAM60 | 340 | 15 | 3 |
| DSAL60 | 440 | 15 | 3 |

Attachment
Reloads Remover



* Reloads remover included in the package, curved tip is optional

45mm



| Model | Shaft Length(mm) | Max Firings | Pcs/Carton |
|--------|------------------|-------------|------------|
| DSAS45 | 280 | 15 | 3 |
| DSAM45 | 340 | 15 | 3 |
| DSAL45 | 440 | 15 | 3 |

Attachment
Reloads Remover



* Reloads remover and curved tip included in the package

| Model | Voltage | Capacity |
|-------|---------|----------|
| DMB | 12V | 1550mAh |

Battery



S Series

60mm



| Model | Shaft Length(mm) | Max Firings | Pcs/Carton |
|--------|------------------|-------------|------------|
| DNMS60 | 280 | 15 | 3 |
| DNMM60 | 340 | 15 | 3 |
| DNML60 | 440 | 15 | 3 |

Attachment
Reloads Remover



* Reloads remover included in the package, curved tip is optional

45mm



| Model | Shaft Length(mm) | Max Firings | Pcs/Carton |
|--------|------------------|-------------|------------|
| DNMS45 | 280 | 15 | 3 |
| DNMM45 | 340 | 15 | 3 |
| DNML45 | 440 | 15 | 3 |

Attachment
Reloads Remover



* Reloads remover and curved tip included in the package

| Model | Voltage | Capacity |
|-------|---------|----------|
| FMB | 12V | 1550mAh |

Battery



Stepwise Staple Reloads for Lunar S&U Pro and S Series Powered Stapler

60mm



| Model | Color | Rows | Open Staple Height(mm) | Pcs/Carton |
|--------|--------|------|------------------------|------------|
| DACW60 | White | 6 | 2.5 | 144 |
| DACT60 | Tan | 6 | 2.5/3.0/3.5 | 144 |
| DACP60 | Purple | 6 | 3.5/3.8/4.1 | 144 |
| DACX60 | Black | 6 | 4.1/4.4/4.7 | 144 |

45mm



| Model | Color | Rows | Open Staple Height(mm) | Pcs/Carton |
|--------|--------|------|------------------------|------------|
| DACW45 | White | 6 | 2.5 | 144 |
| DACT45 | Tan | 6 | 2.5/3.0/3.5 | 144 |
| DACP45 | Purple | 6 | 3.5/3.8/4.1 | 144 |
| DACX45 | Black | 6 | 4.1/4.4/4.7 | 144 |

Lunar S

60mm



| Model | Shaft Length(mm) | Max Firings | Pcs/Carton |
|--------|------------------|-------------|------------|
| FNAS60 | 280 | 15 | 3 |
| FNAM60 | 340 | 15 | 3 |
| FNAL60 | 440 | 15 | 3 |

Attachment
Reloads Remover



* Reloads remover included in the package, curved tip is optional

45mm



| Model | Shaft Length(mm) | Max Firings | Pcs/Carton |
|--------|------------------|-------------|------------|
| FNAS45 | 280 | 15 | 3 |
| FNAM45 | 340 | 15 | 3 |
| FNAL45 | 440 | 15 | 3 |

Attachment
Reloads Remover



* Reloads remover and curved tip included in the package

| Model | Voltage | Capacity |
|-------|---------|----------|
|-------|---------|----------|

DMB

12V

1550mAh

Battery



Lunar U

60mm



| Model | Shaft Length(mm) | Max Firings | Pcs/Carton |
|--------|------------------|-------------|------------|
| FSAS60 | 280 | 15 | 3 |
| FSAM60 | 340 | 15 | 3 |
| FSAL60 | 440 | 15 | 3 |

Attachment
Reloads Remover

* Reloads remover included in the package, curved tip is optional

45mm



| Model | Shaft Length(mm) | Max Firings | Pcs/Carton |
|--------|------------------|-------------|------------|
| FSAS45 | 280 | 15 | 3 |
| FSAM45 | 340 | 15 | 3 |
| FSAL45 | 440 | 15 | 3 |

Attachment
Reloads Remover

* Reloads remover and curved tip included in the package

| Model | Voltage | Capacity |
|-------|---------|----------|
| DMB | 12V | 1550mAh |

Battery



Hyperforce

45mm



| Model | Shaft Length(mm) | Max Firings | Pcs/Carton |
|--------|------------------|-------------|------------|
| FNMS45 | 280 | 15 | 3 |
| FNMM45 | 340 | 15 | 3 |
| FNML45 | 440 | 15 | 3 |

Attachment
Reloads Remover



* Reloads remover and curved tip included in the package

| Model | Voltage | Capacity |
|-------|---------|----------|
|-------|---------|----------|

| | | |
|-----|-----|---------|
| HFP | 12V | 1550mAh |
|-----|-----|---------|

Battery



D Series 2023

60mm



| Model | Shaft Length(mm) | Max Firings | Pcs/Carton |
|--------|------------------|-------------|------------|
| DSMS60 | 280 | 15 | 3 |
| DSMM60 | 340 | 15 | 3 |
| DSML60 | 440 | 15 | 3 |

Attachment
Reloads Remover



* Reloads remover included in the package, curved tip is optional

45mm



| Model | Shaft Length(mm) | Max Firings | Pcs/Carton |
|--------|------------------|-------------|------------|
| DSMS45 | 280 | 15 | 3 |
| DSMM45 | 340 | 15 | 3 |
| DSML45 | 440 | 15 | 3 |

Attachment
Reloads Remover




* Reloads remover and curved tip included in the package




| Model | Voltage | Capacity |
|-------|---------|----------|
| FMB | 12V | 1550mAh |

Battery






Curved Tip
Need extra assist to bypass vessels?



*Please contact our representative if needed


Flat Deck Reloads for Lunar S&U / Hyperforce / D Series Powered Stapler

60mm



| Model | Color | Rows | Tissue Type | Open Staple Height(mm) | Closed Staple Height(mm) | Pcs/Carton |
|--------|-------|------|----------------|------------------------|--------------------------|------------|
| FMCC60 | Grey | 6 | Mesentery | 2.5 | 0.75 | 144 |
| FMCW60 | White | 6 | Vascular | 2.5 | 1.0 | 144 |
| FMCB60 | Blue | 6 | Standard | 3.5 | 1.5 | 144 |
| FMCY60 | Gold | 6 | Standard/Thick | 3.8 | 1.8 | 144 |
| FMCG60 | Green | 6 | Thick | 4.1 | 2.0 | 144 |
| FMCX60 | Black | 6 | Very Thick | 4.4 | 2.3 | 144 |

45mm



| Model | Color | Rows | Tissue Type | Open Staple Height(mm) | Closed Staple Height(mm) | Pcs/Carton |
|--------|-------|------|----------------|------------------------|--------------------------|------------|
| FMCC45 | Grey | 6 | Mesentery | 2.5 | 0.75 | 144 |
| FMCW45 | White | 6 | Vascular | 2.5 | 1.0 | 144 |
| FMCB45 | Blue | 6 | Standard | 3.5 | 1.5 | 144 |
| FMCY45 | Gold | 6 | Standard/Thick | 3.8 | 1.8 | 144 |
| FMCG45 | Green | 6 | Thick | 4.1 | 2.0 | 144 |
| FMCX45 | Black | 6 | Very Thick | 4.4 | 2.3 | 144 |

FulGrip Reloads

for Lunar S&U / Hyperforce / D Series Powered Stapler

60mm



| Model | Color | Rows | Tissue Type | Open Staple Height(mm) | Closed Staple Height(mm) | Pcs/Carton |
|--------|-------|------|----------------|------------------------|--------------------------|------------|
| FACC60 | Grey | 6 | Mesentery | 2.5 | 0.75 | 144 |
| FACW60 | White | 6 | Vascular | 2.5 | 1.0 | 144 |
| FACB60 | Blue | 6 | Standard | 3.5 | 1.5 | 144 |
| FACY60 | Gold | 6 | Standard/Thick | 3.8 | 1.8 | 144 |
| FACG60 | Green | 6 | Thick | 4.1 | 2.0 | 144 |
| FACX60 | Black | 6 | Very Thick | 4.4 | 2.3 | 144 |

45mm



| Model | Color | Rows | Tissue Type | Open Staple Height(mm) | Closed Staple Height(mm) | Pcs/Carton |
|--------|-------|------|----------------|------------------------|--------------------------|------------|
| FACC45 | Grey | 6 | Mesentery | 2.5 | 0.75 | 144 |
| FACW45 | White | 6 | Vascular | 2.5 | 1.0 | 144 |
| FACB45 | Blue | 6 | Standard | 3.5 | 1.5 | 144 |
| FACY45 | Gold | 6 | Standard/Thick | 3.8 | 1.8 | 144 |
| FACG45 | Green | 6 | Thick | 4.1 | 2.0 | 144 |
| FACX45 | Black | 6 | Very Thick | 4.4 | 2.3 | 144 |

Lunar S & U 30

30mm



| Model | Shaft Length(mm) | Max Firings | Pcs/Carton |
|--------|------------------|-------------|------------|
| FNAS30 | 280 | 15 | 3 |
| FNAM30 | 340 | 15 | 3 |
| FNAL30 | 440 | 15 | 3 |

Attachment
Reloads Remover

* Reloads remover and curved tip included in the package

| Model | Voltage | Capacity |
|-------|---------|----------|
| DMB | 12V | 1550mAh |

Battery



30mm



| Model | Shaft Length(mm) | Max Firings | Pcs/Carton |
|--------|------------------|-------------|------------|
| FSAS30 | 280 | 15 | 3 |
| FSAM30 | 340 | 15 | 3 |
| FSAL30 | 440 | 15 | 3 |

Attachment
Reloads Remover

* Reloads remover and curved tip included in the package

| Model | Voltage | Capacity |
|-------|---------|----------|
| DMB | 12V | 1550mAh |

Battery



Dolphin-Head Staple Reloads

30mm




| Model | Color | Rows | Tissue Type | Open Staple Height (mm) | Closed Staple Height (mm) | Pcs/Carton |
|--------|-------|------|-------------|-------------------------|---------------------------|------------|
| FMCW30 | White | 6 | Vascular | 2.5 | 1.0 | 144 |
| FMCB30 | Blue | 6 | Standard | 3.5 | 1.5 | 144 |
| FMCG30 | Green | 6 | Thick | 4.1 | 2.0 | 144 |

Disposable Endoscopic Linear Cutter Stapler & Reloads



DR Series



FR Series



DR Series

60mm



| Model | Shaft Length(mm) | Articulation | Max Firings | Pcs/Carton |
|--------|------------------|--------------|-------------|------------|
| DRES60 | 280 | Yes | 15 | 3 |
| DREM60 | 340 | Yes | 15 | 3 |
| DREL60 | 440 | Yes | 15 | 3 |

* Reloads remover included in the package, curved tip is optional

45mm



| Model | Shaft Length(mm) | Articulation | Max Firings | Pcs/Carton |
|--------|------------------|--------------|-------------|------------|
| DRES45 | 280 | Yes | 15 | 3 |
| DREM45 | 340 | Yes | 15 | 3 |
| DREL45 | 440 | Yes | 15 | 3 |

* Reloads remover and curved tip included in the package

FR Series

60mm



| Model | Shaft Length(mm) | Articulation | Max Firings | Pcs/Carton |
|--------|------------------|--------------|-------------|------------|
| FRES60 | 280 | Yes | 12 | 3 |
| FREM60 | 340 | Yes | 12 | 3 |
| FREL60 | 440 | Yes | 12 | 3 |

* Reloads remover included in the package, curved tip is optional

45mm




| Model | Shaft Length(mm) | Articulation | Max Firings | Pcs/Carton |
|--------|------------------|--------------|-------------|------------|
| FRES45 | 280 | Yes | 12 | 3 |
| FREM45 | 340 | Yes | 12 | 3 |
| FREL45 | 440 | Yes | 12 | 3 |

* Reloads remover and curved tip included in the package


Flat Deck Reloads for DR & FR Series Manual Stapler

60mm



| Model | Color | Rows | Tissue Type | Open Staple Height(mm) | Closed Staple Height(mm) | Pcs/Carton |
|--------|-------|------|----------------|------------------------|--------------------------|------------|
| FACU60 | Gray | 6 | Mesentery | 2.5 | 0.75 | 144 |
| FACV60 | White | 6 | Vascular | 2.5 | 1.0 | 144 |
| FACS60 | Blue | 6 | Standard | 3.5 | 1.5 | 144 |
| FACM60 | Gold | 6 | Standard/Thick | 3.8 | 1.8 | 144 |
| FACT60 | Green | 6 | Thick | 4.1 | 2.0 | 144 |
| FACH60 | Black | 6 | Very Thick | 4.4 | 2.3 | 144 |

45mm



| Model | Color | Rows | Tissue Type | Open Staple Height(mm) | Closed Staple Height(mm) | Pcs/Carton |
|--------|-------|------|----------------|------------------------|--------------------------|------------|
| FACU45 | Gray | 6 | Mesentery | 2.5 | 0.75 | 144 |
| FACV45 | White | 6 | Vascular | 2.5 | 1.0 | 144 |
| FACS45 | Blue | 6 | Standard | 3.5 | 1.5 | 144 |
| FACM45 | Gold | 6 | Standard/Thick | 3.8 | 1.8 | 144 |
| FACT45 | Green | 6 | Thick | 4.1 | 2.0 | 144 |
| FACH45 | Black | 6 | Very Thick | 4.4 | 2.3 | 144 |

FulGrip Reloads for DR & FR Series Manual Stapler

60mm



| Model | Color | Rows | Tissue Type | Open Staple Height(mm) | Closed Staple Height(mm) | Pcs/Carton |
|--------|-------|------|----------------|------------------------|--------------------------|------------|
| FRCU60 | Gray | 6 | Mesentery | 2.5 | 0.75 | 144 |
| FRCV60 | White | 6 | Vascular | 2.5 | 1.0 | 144 |
| FRCS60 | Blue | 6 | Standard | 3.5 | 1.5 | 144 |
| FRCM60 | Gold | 6 | Standard/Thick | 3.8 | 1.8 | 144 |
| FRCT60 | Green | 6 | Thick | 4.1 | 2.0 | 144 |
| FRCH60 | Black | 6 | Very Thick | 4.4 | 2.3 | 144 |

45mm



| Model | Color | Rows | Tissue Type | Open Staple Height(mm) | Closed Staple Height(mm) | Pcs/Carton |
|--------|-------|------|----------------|------------------------|--------------------------|------------|
| FRCU45 | Gray | 6 | Mesentery | 2.5 | 0.75 | 144 |
| FRCV45 | White | 6 | Vascular | 2.5 | 1.0 | 144 |
| FRCS45 | Blue | 6 | Standard | 3.5 | 1.5 | 144 |
| FRCM45 | Gold | 6 | Standard/Thick | 3.8 | 1.8 | 144 |
| FRCT45 | Green | 6 | Thick | 4.1 | 2.0 | 144 |
| FRCH45 | Black | 6 | Very Thick | 4.4 | 2.3 | 144 |

Disposable Endoscopic Trocar



Flagship Series



Mini Series



Flagship



| Model | Shaft Diameter(mm) | Obturator Material | Shaft Length(mm) | Pcs/Carton |
|--------|--------------------|--------------------|------------------|------------|
| BLTC5 | 5 | Stainless Steel | 100 | 16 |
| BLTC10 | 10 | Stainless Steel | 100 | 16 |
| BLTC12 | 12 | Stainless Steel | 100 | 16 |
| BLTC15 | 15 | Stainless Steel | 100 | 16 |



| Model | Shaft Diameter(mm) | Obturator Material | Shaft Length(mm) | Pcs/Carton |
|--------|--------------------|--------------------|------------------|------------|
| FXPC12 | 12 | PC | 152 | 16 |



| Model | Shaft Diameter(mm) | Sleeve | Shaft Length(mm) | Pcs/Carton |
|-------|--------------------|-----------|------------------|------------|
| B5LT | 5 | Stability | 100 | 12 |
| B10LT | 10 | Stability | 100 | 12 |
| B12LT | 12 | Stability | 100 | 12 |
| B15LT | 15 | Stability | 100 | 12 |
| F12XP | 12 | Stability | 152 | 12 |

Mini



| Model | Shaft Diameter(mm) | Obturator Material | Shaft Length(mm) | Pcs/Carton |
|--------|--------------------|--------------------|------------------|------------|
| BLPC5 | 5 | Stainless Steel | 100 | 16 |
| BLPC10 | 10 | Stainless Steel | 100 | 16 |
| BLPC12 | 12 | Stainless Steel | 100 | 16 |



| Model | Shaft Diameter(mm) | Sleeve | Shaft Length(mm) | Pcs/Carton |
|-------|--------------------|-----------|------------------|------------|
| B5LP | 5 | Stability | 100 | 12 |
| B10LP | 10 | Stability | 100 | 12 |
| B12LP | 12 | Stability | 100 | 12 |

Disposable Endoscopic Specimen Retrieval Bags & Ligating Loops



Disposable Endoscopic Specimen Retrieval Bags



Disposable Endoscopic Ligating Loops



Disposable Endoscopic Specimen Retrieval Bags



| Model | Capacity(mm) | Description | Diameter(mm) | Pcs/Carton |
|---------|--------------|---------------------------------------|--------------|------------|
| FRC4-10 | 150 | 120 x 150mm with New Net Bag(PC tube) | 10 | 12 |
| HRC6-10 | 1200 | 150 x 240mm with PU Bag(PC tube) | 10 | 12 |

Disposable Endoscopic Ligating Loops



| Model | Loop Diameter(mm) | Suture Diameter(mm) | Pcs/Carton |
|-------|-------------------|---------------------|------------|
| FL10 | 240 | 0.350-0.399 | 72 |
| FL20 | 240 | 0.300-0.349 | 72 |
| HL10 | 300 | 0.350-0.399 | 72 |
| HL20 | 300 | 0.300-0.349 | 72 |

Open Staplers



Disposable Linear Cutter
Stapler & Reloads



Disposable Linear Stapler
& Reloads



Disposable Curved Cutter
Stapler & Reloads



Disposable Circular Staplers



Disposable Hemorrhoidal
Staplers




Disposable Linear Cutter Stapler

1. The cutter is made by imported stainless steel 440
2. Tissue retaining button designed to protect good firing and good staple formed
3. 55mm, 75mm, 100mm sizes for your good choice



| Model | Color | Tissue Type | Open Staple Height | Closed Staple Height | Maximum Firings | Pcs / Carton |
|-------------|-------|----------------|--------------------|----------------------|-----------------|--------------|
| FALC(S)-55 | Blue | Standard | 3.85mm | 1.5mm | 8 | 12 |
| FALC(T)-55 | Green | Thick | 4.5mm | 2.0mm | 8 | 12 |
| FALC(S)-75 | Blue | Standard | 3.85mm | 1.5mm | 8 | 12 |
| FALC(M)-75 | Gold | Standard/Thick | 4.2mm | 1.8mm | 8 | 12 |
| FALC(T)-75 | Green | Thick | 4.5mm | 2.0mm | 8 | 12 |
| FALC(S)-100 | Blue | Standard | 3.85mm | 1.5mm | 8 | 10 |
| FALC(T)-100 | Green | Thick | 4.5mm | 2.0mm | 8 | 10 |

Disposable Linear Cutter Stapler Reloads



| Model | Color | Rows | Tissue Type | Open Staple Height | Closed Staple Height | Pcs / Carton |
|----------------|-------|------|----------------|--------------------|----------------------|--------------|
| FALC(S)-55-DC | Blue | 4 | Standard | 3.85mm | 1.5mm | 48 |
| FALC(T)-55-DC | Green | 4 | Thick | 4.5mm | 2.0mm | 48 |
| FALC(S)-75-DC | Blue | 4 | Standard | 3.85mm | 1.5mm | 48 |
| FALC(M)-75-DC | Gold | 4 | Standard/Thick | 4.2mm | 1.8mm | 48 |
| FALC(T)-75-DC | Green | 4 | Thick | 4.5mm | 2.0mm | 48 |
| FALC(S)-100-DC | Blue | 4 | Standard | 3.85mm | 1.5mm | 48 |
| FALC(T)-100-DC | Green | 4 | Thick | 4.5mm | 2.0mm | 48 |

Disposable Linear Stapler

1. Automatic remote manual pin placement
2. Special anvil design for cutting operating of Doctor's knife
3. 3.30mm, 45mm, 60mm , 90mm sizes for your good choice



| Model | Color | Tissue Type | Open Staple Height | Closed Staple Height | Reload included | Pcs / Carton |
|-----------|-------|-------------|--------------------|----------------------|-----------------|--------------|
| FLS(S)-30 | Blue | Standard | 3.5mm | 1.5mm | FLS(S)-30-DC | 3 |
| FLS(T)-30 | Green | Thick | 4.8mm | 2.0mm | FLS(T)-30-DC | 3 |
| FLS(S)-45 | Blue | Standard | 3.5mm | 1.5mm | FLS(S)-45-DC | 3 |
| FLS(T)-45 | Green | Thick | 4.8mm | 2.0mm | FLS(T)-45-DC | 3 |
| FLS(S)-60 | Blue | Standard | 3.5mm | 1.5mm | FLS(S)-60-DC | 3 |
| FLS(T)-60 | Green | Thick | 4.8mm | 2mm | FLS(T)-60-DC | 3 |
| FLS(S)-90 | Blue | Standard | 3.5mm | 1.5mm | FLS(S)-90-DC | 3 |
| FLS(T)-90 | Green | Thick | 4.8mm | 2.0mm | FLS(T)-90-DC | 3 |

Disposable Linear Stapler Reloads



| Model | Color | Tissue Type | Open Staple Height | Closed Staple Height | Pcs / Carton |
|--------------|-------|-------------|--------------------|----------------------|--------------|
| FLS(S)-30-DC | Blue | Standard | 3.5mm | 1.5mm | 96 |
| FLS(T)-30-DC | Green | Thick | 4.8mm | 2.0mm | 96 |
| FLS(S)-45-DC | Blue | Standard | 3.5mm | 1.5mm | 96 |
| FLS(T)-45-DC | Green | Thick | 4.8mm | 2.0mm | 96 |
| FLS(S)-60-DC | Blue | Standard | 3.5mm | 1.5mm | 96 |
| FLS(T)-60-DC | Green | Thick | 4.8mm | 2.0mm | 96 |
| FLS(S)-90-DC | Blue | Standard | 3.5mm | 1.5mm | 96 |
| FLS(T)-90-DC | Green | Thick | 4.8mm | 2.0mm | 96 |

Disposable Curved Cutter Staplers



| Model | Color | Open Staple Height | Closed Staple Height | Reload Included | Pcs / Carton |
|-----------|-------|--------------------|----------------------|-----------------|--------------|
| FCS(T)-45 | Green | 4.7mm | 2.0mm | FCS(T)-45-DC | 3 |



Disposable Curved Cutter Stapler Reloads

| Model | Color | Open Staple Height | Closed Staple Height | Pcs / Carton |
|--------------|-------|--------------------|----------------------|--------------|
| FCS(T)-45-DC | Green | 4.7mm | 2.0mm | 96 |

Disposable Circular Staplers



| Model | Lumen | Shaft Length | Head Diameter | Height | Closed Staple Height | Pcs / Carton |
|----------|--------|--------------|---------------|--------|----------------------|--------------|
| FAEEA-21 | 12.2mm | 44.5cm | 21mm | 5mm | 1.0-2.5mm adjustable | 12 |
| FAEEA-25 | 16.2mm | 44.5cm | 25mm | 5mm | 1.0-2.5mm adjustable | 12 |
| FAEEA-26 | 17.2mm | 44.5cm | 26mm | 5mm | 1.0-2.5mm adjustable | 12 |
| FAEEA-29 | 20.2mm | 44.5cm | 29mm | 5mm | 1.0-2.5mm adjustable | 12 |
| FAEEA-32 | 23.2mm | 44.5cm | 32mm | 5mm | 1.0-2.5mm adjustable | 12 |
| FAEEA-33 | 24.2mm | 44.5cm | 33mm | 5mm | 1.0-2.5mm adjustable | 12 |

Disposable Hemorrhoidal Staplers(PPH Set)



| Model | Size | Description | Pcs / Carton |
|----------|------|--|--------------|
| FAPPH-32 | 32 | includes Hemorrhoidal circular stapler 32mm,34mm suture threader,circular anal dilator and purse string anoscope | 3 |
| FAPPH-34 | 34 | | 3 |



Fulbright Medical

Address: Room 2301, Aurora Plaza, No.99 FuCheng Road, Shanghai, China

E-mail: enquiry.obd@fulbrightmed.com



fulbrightmed.com



Fulbright Medical

Scan the QR code to join us!